



# CorePro LEDspot MV



## CorePro LEDspot 4-50W GU10 840 36D DIM

CorePro LEDspots are a perfect fit for spot lighting and deliver warm halogen-like light. These GU10 LED spot lights are compatible with most existing fixtures with a GU10 LED base and are designed as a retrofit replacement for halogen or incandescent spots. CorePro LEDspots deliver significant energy savings and minimize maintenance costs.

### Product data

General information	
Cap-Base	GU10 [ GU10]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Flux measurement reference	Narrow Cone
Light technical	
Color Code	840 [ CCT of 4000K]
Beam Angle (Nom)	36 °
Luminous Flux (Nom)	350 lm
Luminous Intensity (Nom)	700 cd
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	87.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Luminous Flux in 90° Cone (Rated)	350 lm
Operating and electrical	
Input Frequency	50 to 60 Hz

Power (Nom)	4 W
Lamp Current (Nom)	23 mA
Wattage Equivalent	50 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.84
Voltage (Nom)	220-240 V

Temperature	
T-Case Maximum (Nom)	70 °C

Controls and dimming	
Dimmable	Only with specific dimmers

Mechanical and housing	
Bulb Shape	PAR16 [ PAR 2 inch]


Approval and application	
Energy Efficiency Class	F
Suitable For Accent Lighting	Yes
Energy Consumption kWh/1000 h	4 kWh

# CorePro LEDspot MV

EPREL Registration Number	391907
<b>Product data</b>	
Full product code	871951435885000
Order product name	CorePro LEDspot 4-50W GU10 840 36D DIM
EAN/UPC - Product	8719514358850
Order code	929002065802

Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929002065802
Copy Net Weight (Piece)	0.048 kg


## Dimensional drawing




CorePro LEDspot 4-50W GU10 840 36D DIM

Product	D	C
CorePro LEDspot 4-50W GU10 840 36D DIM	50 mm	54 mm


## Photometric data



Accent Lighting Spots



Spectral Power Distribution Colour



Light Distribution Diagram

# CorePro LEDspot MV

## Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram

